



Water Saving Product
Brochure &
Prices 2008-09

11 York Road,
Rindsend,
Dublin 4

Unit P1,
Marina Commercial Park,
Centre Park Road,
Cork City.

www.lowflo.com
Cork: 021 5004111
Dublin: 01 2180111

Contents

| | Page |
|----------------------|--------|
| Urinals | 1 - 2 |
| Taps | 3- 5 |
| Showers | 6 - 8 |
| WC products | 8 |
| Hygiene | 9 |
| Spares & accessories | 9 - 10 |
| Leakage prevention | 10 |
| Water saving kits | 11 |
| Leakage detection | 11 |

URINAL CONTROLS

battery operated

Hydrocell 2006 including valve - Urinal Controller



Typically saves 60% on water charges and pays for itself within three months.
 Features include; Occupancy detection, Battery operated, Small and discrete, variable fill and flush settings. Complete with Controller, Battery and Solenoid Valve. Hydrocell Ultra additional features; Fail safe operation, Low battery indication, Thermostatic control, Intelligent Flushing options.

| Code | Description | Price RRP |
|--------|---------------------------------|-----------|
| AQUHC | Hydrocell 2006 including valve | €148.50 |
| | | |
| AQUHCU | Hydrocell Ultra including valve | €205.50 |
| | | |

Anti-Vandal Hydrocell 2006 including valve - Urinal Controller



All the efficiency of the Hydrocell 2006 encased in a stylish stainless steel body that offers robust anti-vandal and anti-corrosive protection. The unit is supplied with knockouts for ease of installation.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQUHCAV | Anti-Vandal Hydrocell in stainless steel case, including valve | €215.50 |
| | | |

Aquamate Timed Urinal Controller



Cost Effective Urinal Solution.
 This product can be utilised alongside the Sani Sleeve and will maintain the correct flushing regime to maximise savings. Simple Plug & Play operation. Complete with Controller, Battery and 15mm Solenoid Valve.

| Code | Description | Price RRP |
|-------|----------------------------------|-----------|
| AQUAM | Aquamate Timed Urinal Controller | €98.00 |

mains operated

Hydromate 2000 including valve - Urinal Controller



Typically saves 60% on water charges and pays for itself within three months.
 Features include; Occupancy detection, Mains operated, Small and discrete, Variable fill and flush settings. Complete with Controller and Solenoid Valve.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQUHM | Hydromate 2000 including valve | €180.00 |
| AQUHMPC | Photocell control box - for areas with ambient light | €15.50 |
| | | |

infrared sensor

Sensao Electronic Urinal Control



Contemporary Urinal Solution.
 This is a concealed self-adapting wall mounted urinal flush controller that can enable significant water savings. The device has 4 programmes with or without pre-wash, short or long rinsing and cleaning function for use on direct feed urinals. Available in chrome or ivory.

| Code | Description | Price RRP |
|----------|---|-----------|
| AQU55332 | Sensao 6v Electronic Urinal Control - Chrome finish | €595.00 |
| AQU55333 | Sensao 6v Electronic Urinal Control - Ivory finish | €595.00 |

Standard Sensao Electronic Urinal Control



For standard urinal or stall- rear inlet.
Exposed wall mounted self-adaptive electronic flush for direct feed urinals or ordinary urinals with power supply by 6V lithium battery

| Code | Description | Price RRP |
|----------|-------------------------------------|-----------|
| AQU55350 | Sensao 6v Electronic Urinal Control | €515.50 |

Sensao Electronic Urinal Control- Exposed



Preset programmes to suit different needs
Self adapting sensor to any environment with a new patented intelligent active infra red detection system. Vandal proof design- suitable for all types of environments, with top inlet and white epoxy finish. Security and hygiene- automatic shut off in case of battery discharge, battery housing (IP65) integrated. For use on direct feed.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQU5300 | Sensao Electronic Urinal Control- exposed pipework | €695.00 |

Urinal Timed Tap



This tap is suitable for high frequency usage. Anti- vandal proof design can withstand high impact. Water saving - flow adjustable to 4 different settings, flow duration 6 secs (+- 2s) . Min operating pressure 0.8 bar, Max 5 bar. Suitable for direct feed.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQU31003 | Presto exposed urinal push tap | €63.50 |
| AQUABV | Airbreak valve (Chromed) - prevents back flow into water supply. | €37.85 |

Sani Sleeve refill



Can cut water bills by 96%. Improves Hygiene, Saves Water and Reduces Blockages. Safe microbiological cleaning formula. Suitable for use in conjunction with The Aquamate (AQUAM)

| Code | Description | Price RRP |
|--------|--|-----------|
| AQUSSR | Sani Sleeve refill | €40.00 |
| AQUSSE | Sani Sleeve Unit (Exposed Bowl) Including waste outlet adaptor | €44.60 |
| AQUSSC | Sani Sleeve Unit (Concealed Bowl) Including waste outlet adaptor | €44.60 |
| | | |

Biological Channel Blocks



Bio Blocks contain biological enzymes to digest urine crystals and a perfume to provide a pleasant fragrance in the washroom and unlike other urinal blocks do not contain pDCB.

| Code | Description | Price RRP |
|--------|------------------------------------|-----------|
| AQHBB1 | Biological Channel Blocks - 50 off | €25.40 |

TAPS & TAP AERATORS

self closing push tap

Retrofit Push Tap



The only brass tap conversion on the market, Stylish classic design - will suit most washrooms. Quick and easy to install - no need to remove existing tap base, Rigorously tested under all conditions, Durable - made to last under high usage situations. Will fit most UK and European taps. Very wide range of user defined time settings. Saving Money & Water from Day one.

| Code | Description | Price RRP |
|---------|---|-----------|
| AQTPT | Retrofit Push Tap - STANDARD 1/2" (Includes BS1010 adapter) | €29.70 |
| AQTPT18 | Retrofit Push Tap 18 TPI | €29.70 |
| AQTPTC | Complete Push Tap including base | €42.50 |
| AQTPTA | Complete Push Tap including base and Aerator | €58.99 |



sequential taps

Contemporary Lever Spray Mixer Tap



The AQT985CP is a single lever sequential spray mixer tap that will provide a spray of water, giving cold to hot with 180 degree of movement of the lever handle via a ceramic disc cartridge. This contemporary design delivers 3.6 lpm at a pressure of 0.5 bar. For pressures under 0.5 bar the limiter insert may need to be removed to effect a suitable spray pattern.

| Code | Description | Price RRP |
|----------|---|-----------|
| AQT985CP | Contemporary Sequential lever mixer tap | €147.50 |

Lever Spray Mixer Tap



This WRAS Approved sequential tap is ideal for use in washroom areas where safety control is important. Suitable for use with 'Doc M' installations, schools, sports and leisure centres and other unsupervised areas. The simple operation of the tap makes it ideal for users with reduced mobility. Two flexible hoses included, Extended lever option, Patented second flow, limiter, Chrome finish.

| Code | Description | Price RRP |
|----------|----------------------------|-----------|
| AQT980CP | Sequential lever mixer tap | €115.25 |

touch operated taps

Perfect Time 6v Touch Tap



This touch tap uses piezo technology and will start when user touches top cap. Water will stop automatically at end of users programmed time. (Easily adjustable flow time) Operates from 9v battery control unit. Can be supplied with M24 flow regulator/aerator.

| Code | Description | Price RRP |
|-----------|---------------------------|-----------|
| AQETIR162 | Perfect Time 9v Touch Tap | €230.50 |

Squale Basin mount Electronic Tap - mains or battery operated



This electronic (Infrared) tap has 4 pre-defined programmes and 2 functions which can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability

| Code | Description | Price RRP |
|-----------|--|-----------|
| AQET55110 | Squale basin mount mixer tap - 230v | €574.50 |
| AQET55115 | Squale basin mount mixer tap - 6v Battery | €574.50 |
| AQET55010 | Squale basin mount single tap - 230v | €514.25 |
| AQET55015 | Squale basin mount single tap - 6v Battery | €514.25 |

Sensao 6100 Wall mount Single Electronic Tap -battery or mains operated



This electronic (Infrared) tap has 4 pre-defined programmes and 2 functions which can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability

| Code | Description | Price RRP |
|------------|---|-----------|
| AQET55410M | Sensao wall mount single tap - short spout - 230v | €396.60 |
| AQET55410B | Sensao wall mount single tap - short spout - 6v Battery | €445.85 |
| AQET55411M | Sensao wall mount single tap - std spout - 230v | €396.60 |
| AQET55411B | Sensao wall mount single tap - std spout - 6v Battery | €445.85 |
| AQET55412M | Sensao wall mount single tap - long spout - 230v | €420.50 |
| AQET55412B | Sensao wall mount single tap - long spout - 6v Battery | €471.45 |

Sensao 6000 Deck mount Single Electronic Tap - mains or battery operated



This electronic (Infrared) tap has 4 pre-defined programmes and 2 functions which can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability

| Code | Description | Price RRP |
|------------|---|-----------|
| AQET55400M | Sensao deck mount single tap - short spout - 230v | €398.00 |
| AQET55400B | Sensao deck mount single tap - short spout - 6v battery | €448.00 |
| AQET55401M | Sensao deck mount single tap - std spout - 230v | €398.00 |
| AQET55401B | Sensao deck mount single tap - std spout - 6v battery | €448.00 |
| AQET55402M | Sensao deck mount single tap - high spout - 230v | €420.50 |
| AQET55402B | Sensao deck mount single tap - high spout - 6v battery | €470.50 |

Volta Electronic Tap - mains or battery operated



This is the smaller version of the 'Squale' electronic (Infrared) tap and can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability. 6plm aerator included. The mixer version is available with or without temperature adjustment lever.

| Code | Description | Price RRP |
|-----------|--|-----------|
| AQET55051 | Volta deck mount single tap - 230v | €430.00 |
| AQET55060 | Volta deck mount single tap - 6v Battery (without PEX hoses) | €395.50 |
| AQET55062 | Volta deck mount single tap - 6v Battery | €430.00 |
| AQET55152 | Volta deck mount mixer tap - 230v (with lever) | €563.50 |
| AQET55162 | Volta deck mount mixer tap - 6v Battery (with lever) | €563.50 |

High Spout Deck mount mixer Tap - Presto 5750



High spout swivel enables filling applications or sterilising filter cartridges for hospital environments Infrared sensor, powered by 4 x 1.5v batteries in IP65 case. Features include temperature limiter, flow regulator, non-return and filter stop valves, stainless steel flexi hoses.

| Code | Description | Price RRP |
|-----------|--|-----------|
| AQET52102 | High spout deck mount mixer tap - 1.5v Battery | €1,085.00 |

Sensao 5200 wall mount exposed single tap - with integrated 6v battery



This electronic (Infrared) tap has 4 pre-defined programmes and 2 functions which can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability

| Code | Description | Price RRP |
|-----------|---|-----------|
| AQET55220 | Sensao wall mount exposed single tap - std spout - 6v battery - White | €853.65 |
| AQET55225 | Sensao wall mount exposed single tap - high spout - 6v battery - White | €885.75 |
| AQET55230 | Sensao wall mount exposed single tap - std spout - 6v battery - Chrome | €847.65 |
| AQET55235 | Sensao wall mount exposed single tap - high spout - 6v battery - Chrome | €882.75 |

Sensao wall mount concealed single tap - with integrated 6v battery supply



This electronic (Infrared) tap has 4 pre-defined programmes and 2 functions which can be activated using a simple reflector without disassembling the tap and which enables the tap to adapt to each type of use. Manufactured in Europe to the highest standards to exceed today's demanding environments. All electrical components meet IP65 testing requirements to ensure lifelong reliability

| Code | Description | Price RRP |
|-----------|---|-----------|
| AQET55334 | Sensao wall mount concealed single tap - std spout - 6v battery - White | €612.00 |
| AQET55338 | Sensao wall mount concealed single tap - high spout - 6v battery - White | €675.00 |
| AQET55336 | Sensao wall mount concealed single tap - std spout - 6v battery - Chrome | €559.00 |
| AQET55340 | Sensao wall mount concealed single tap - high spout - 6v battery - Chrome | €628.50 |

Aerated & Regulated Tap Inserts

Pressure Compensating Aerator Tom Thumb M16 Female 5L/min Aerated flow



Anti-liming "honeycomb" replaces conventional wire mesh screens prone to lime build up. Integral anti-clogging dome screen filters sediment and particles. Colour-coded dome screen to identify flow rate. Patented design provides a splash-free stream, well aerated and soft to the touch. Flow rate V designed for pressures as low as 0.2 bar.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQT15627 | Pressure Compensating Aerator M16 Female 5L/min Aerated flow | €7.00 |

Pressure Compensating Spray 2.5L/min



In low flow conditions where aerators and laminar devices would not perform properly, sprays provide full coverage of the hands during washing. The use of sprays is recommended on lavatories in public restrooms to reduce water consumption.

| Code | Description | Price RRP |
|----------|---|-----------|
| AQT59144 | Pressure Compensating Spray M22 Female 2.5L/min | €7.00 |
| AQT59244 | Pressure Compensating Spray M24 Male 2.5L/min | €7.00 |

Pressure Compensating Aerator 5L/min Aerated flow



The high tech aerator. Unique single piece screenless design inhibits lime build up. Integral anti-clogging dome screen filters sediment and particles. Colour-coded dome screen to identify flow rate. Patented design provides a splash-free stream, well aerated and soft to the touch.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQT54242 | Pressure Compensating Aerator M22 Female 5L/min Aerated flow | €7.00 |
| AQT54442 | Pressure Compensating Aerator M24 Male 5L/min Aerated flow | €7.00 |

Pressure Compensating Aerator 8L/min Aerated flow



The high tech aerator. Unique single piece screenless design inhibits lime build up. Integral anti-clogging dome screen filters sediment and particles. Colour-coded dome screen to identify flow rate. Patented design provides a splash-free stream, well aerated and soft to the touch.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQT54246 | Pressure Compensating Aerator M22 Female 8L/min Aerated flow | €7.00 |
| AQT54446 | Pressure Compensating Aerator M24 Male 8L/min Aerated flow | €7.00 |

SHOWERS

wall mounted showers

Aerated Anti Vandal Shower Head Rear Entry



Aerated water provides a luxurious foaming shower. No compromise high quality construction. Stylish chrome design. Particularly well suited to changing areas.

| Code | Description | Price RRP |
|--------|--|-----------|
| AQS250 | Aerated Anti Vandal Shower Head Rear Entry | €125.75 |
| | | |

Aerated Anti Vandal Shower Head Bottom Entry



Aerated water provides a luxurious foaming shower. No compromise high quality construction. Stylish chrome design. Particularly well suited to changing areas.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQS255B | Aerated Anti Vandal Shower Head Bottom Entry | €125.75 |
| | | |

Aerated Shower Head



Stylish functional design swivel shower head. Aerated water provides a luxurious foaming shower. No compromise high quality construction. Simple retro fit design save on install costs.

Cuts water and energy consumption by up to 60%

| Code | Description | Price RRP |
|--------|---------------------|-----------|
| AQS260 | Aerated Shower Head | €62.15 |
| | | |

Aeroflo Shower Head



Aerated shower head, Multi directional aerated shower head, Suitable for any application. Simple non disruptive installation. **Cuts water and energy consumption by up to 60%**

| Code | Description | Price RRP |
|--------|---------------------|-----------|
| AQS300 | Aerated Shower Head | €31.85 |
| | | |

Aeroflo Shower Head Including Back Plate



Bottom entry wall mounted shower head, Multi directional aerated shower head. Available as air8 shower head only (AQS300), Suitable for any application. This price includes backplate. **Cuts water and energy consumption by up to 60%**

| Code | Description | Price RRP |
|--------|--|-----------|
| AQS301 | Aerated Shower Head Including Back Plate | €62.15 |
| | | |

Massage Shower Head



Adjustable spray pattern, 8 litres/minute flow rate, Proven USA design, millions sold worldwide. Simply replace existing shower head in minutes, Handheld version available.

Cuts water and energy consumption by up to 60%

| Code | Description | Price RRP |
|--------|---------------------|-----------|
| AQS310 | Massage Shower Head | €29.50 |
| | | |

Motion Flo Shower Head



Cutting edge design from California design house, Increases velocity of the water, Simple Installation, Suitable for any application, Huge energy saving benefits. Produces an invigorating showering experience. **Cuts water and energy consumption by up to 60%**

| Code | Description | Price RRP |
|--------|---------------------|-----------|
| AQS302 | Aerated Shower Head | €31.85 |

DL 800 S Thermostatic Shower Panel




Available with top or back inlet. Anti-Liming shower head, "soft trigger" push button control with **pre-set timed flow**. Robust **anti-vandal** ABS resin design with anti-scald security. 1 to 5 bar operating pressure with anti-liming and anti-corrosion mechanism. Supplied with **10 lpm regulator**.
Anti-Blocking System - Ensures shower cannot be left / jammed on.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQS27812 | DL 800 S shower panel with soap dish -back inlet | €756.50 |
| AQS27800 | DL 800 S shower panel with soap dish -top inlet | €756.50 |

handheld showers

Air8 Easy Clean Handheld



Easy clean anti-liming fascia, Universal fitting shower head, High quality, Simple Installation, Suitable for any application, Save on installation costs, Huge energy saving benefits.

| | Description | Price RRP |
|-----------|--|-----------|
| AQS1101C | Air 8 Easy Clean Handheld Chrome | €34.85 |
| AQS1101CR | Air 8 Easy Clean Handheld Chrome, with Restrictor instead of Aerator | €20.95 |
| AQS1101W | Air 8 Easy Clean Handheld White | €34.85 |
| AQS1101WR | Air 8 Easy Clean Handheld White, with Restrictor instead of Aerator | €20.95 |

Satinjet - Awatea shower kit



Push button spray control, easy clean face plate, 1500mm twist free hose, long rail, high quality, simple Installation, Suitable for any application, Save on installation costs, Huge energy saving benefits.
Can reduce water and energy consumption.

| Code | Description | Price RRP |
|-------|-------------------------------------|-----------|
| AQSSJ | Satinjet Awatea Hand Held Shower | €108.95 |
| AQSSJ | Sanijet Awatea Hand Held Shower Kit | €108.95 |

shower accessories

Non-Concussive Shower Valves



Automatic shut-off in approximately 20 seconds. Suitable for swimming baths, leisure clubs, laboratories etc

| Code | Description | Price RRP |
|--------|----------------------------------|-----------|
| AQSNCE | Non-concussive valve - Exposed | €70.00 |
| AQSNCC | Non-concussive valve - Concealed | €95.50 |

Inline Shower Regulator Coupling - 1/2"



Delivers instant savings to almost any shower installation. Retrofit into existing non-electric showers, Flow balance multiple shower installations. Reduces flow rates to between 6 - 10 Litres/min
Cuts water and energy consumption by up to 60%

| Code | Description | Price RRP |
|--------|---|-----------|
| AQS506 | Inline Shower Regulator Coupling - 6 Litres per minute | €7.75 |
| AQS508 | Inline Shower Regulator Coupling - 8 Litres per minute | €7.75 |
| AQS510 | Inline Shower Regulator Coupling - 10 Litres per minute | €7.75 |

Basic Egg Timer Style Shower Timer



As well as restricting the flow of water leaving your shower head, why not also try and monitor the amount of time the shower is left running with one of these funky shower timers!

| Code | Description | Price RRP |
|--------|--------------------------------|-----------|
| AQSNCE | Non-concussive valve - Exposed | €4.95 |

Novelty Digital Shower Timer



This easy to use, battery-operated shower timer can help you cut down. It is steam proof and waterproof, with a strong suction cup that holds it fast to any non-porous surface, such as bathroom tiles. You decide how long you want to spend in the shower and the timer will sound the alarm when your time is up.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQS1023 | Yellow and orange digital duck timer | €15.95 |
| ASQ1024 | All Blue Star digital shower timer | €15.95 |
| AQS1025 | Spotty blue star digital shower timer | €15.95 |
| AQS1026 | Multi Coloured Spotty star digital timer | €15.95 |

WC DEVICES

Cistern Dam



The Cistern Dam will save up to 30% of water on every single flush. Quick and easy to install, No need for maintenance, No stagnant water problems.

| Code | Description | Price RRP |
|---------|------------------|-----------|
| AQWCD | Cistern Dam | €5.50 |
| AQWCSAF | Save a flush bag | €3.65 |

Retrofit Dual Flush Valve



The cost effective, simple way to convert your existing syphon into a dual flush syphon. The retrofit Dual Flush (also known as *EcoBeta*) only takes minutes to install and will instantly save up to 50% water.

| Code | Description | Price RRP |
|---------|--|-----------|
| AQWCECO | Retrofit <i>EcoBeta</i> Dual Flush Valve | €31.50 |

Water Saving Dual Flush Valve



Water Saving Dual Flush Valve to replace old fashioned syphon. Complemented with either our side or bottom entry fill valve can give up to **30% Water Saving**. 1.5" outlet, Fits most standard cisterns, Flush button can be fitted in any position, Internal overflow. Quick and easy to install, Half flush and Full flush volume can be adjusted, 8" - 13" adjustable fill height.

| Code | Description | Price RRP |
|---------|--------------------------------------|-----------|
| AQWCDFV | Water Saving Dual Flush Valve | €23.95 |
| AQWCBIV | Water Saving Bottom inlet Fill Valve | €15.95 |
| AQWCSIV | Water Saving Side inlet Fill Valve | €15.95 |

Turbo Syphon



An alternative option to the dual flush valve, this is a syphon. This product features a traditional handle where the user press and releases the lever for a full flush, and press and holds the lever down for a reduced flush. Available in sizes 7" to 10", with 9" being the most common requirement. In order to determine the correct size, the depth of water in the cistern must be obtained.

| | | |
|----------|------------------------|--------|
| AQWCT889 | Turbo 2-part syphon 9" | €39.95 |
|----------|------------------------|--------|

Hippo bag



By simply lowering the bag into the toilet cistern, a minimum of 2 litre of water will be saved with every flush of the toilet. The Bag simply retains water and reduces the volume of each flush.

| Code | Description | Price RRP |
|---------|---|-----------|
| AQWCECO | Hippo Bags (Save 2-3litres) from €0.99 to €3 each | €3.00 |

Flush, Valve & Siphon Kit

| Code | Description | Price RRP |
|----------|--|-----------|
| AQWCFKIT | Universal parts kit for replacement of flush valves or siphons | €9.55 |

HYGIENE SOLUTIONS

Vandal resistant soap dispenser - Brushed stainless steel



Brushed Stainless Steel.
Anti-Vandal key operation.
Reservoir inspection window.

| Code | Description | Price RRP |
|----------|---|-----------|
| AQH70632 | Vandal resistant soap dispenser - Brushed stainless steel | €74.50 |

Quadrasan - Urinal and WC cleaning dispenser - white



The Quadrasan works automatically, ensuring toilets and urinals always stay clean and fresh smelling. The system pumps chemicals directly into the toilet or urinal cistern or can be connected to the sparge pipe.

| Code | Description | Price RRP |
|-----------|--|-----------|
| AQHFDIS1W | Quadrasan - Urinal and WC cleaning dispenser - white | €88.50 |

Automatic Aerosol dispenser refills - 12 * 243ml aerosols - 1 yr supply (Exotic Garden)



Airoma aerosol refills.

| Code | Description | Price RRP |
|----------|---|-----------|
| AQHAERO7 | Automatic Aerosol dispenser refills - 12 * 243ml aerosols - 1 yr supply (Exotic Garden) | €87.55 |

Urinal and WC cleaning dispenser refills - 6 * 310ml bottles - 1 yr supply



Quadrasan refills, pleasant fragrance and Biological cleaning options.

| Code | Description | Price RRP |
|-------------|---|-----------|
| AQHFAQ30002 | Urinal and WC cleaning dispenser refills - 6 * 310ml bottles - 1 yr supply | €71.65 |
| AQHFB300 | Urinal and WC cleaning dispenser refills - 6 * 310ml bottles - 1 yr supply (Biosolve) | €74.85 |

Airoma - Automatic Aerosol dispenser - white



The Airoma system provides flexible programming options which allows for the matching of costs to odour control.

| Code | Description | Price RRP |
|-----------|--|-----------|
| AQHADIS1W | Airoma - Automatic Aerosol dispenser - white | €66.90 |

SPARES & ACCESSORIES

6V Latching Solenoid Valve



6V Latching Solenoid Valve to be used with our range of battery powered urinal controllers.
Brass Construction.
WRAS approved.
0 - 16 Bar

| Code | Description | Price RRP |
|---------|----------------------------|-----------|
| AQUHCSV | 6V Latching Solenoid Valve | €54.30 |

230V Mains Solenoid Valve




230V Mains Solenoid Valve to be used with our range of mains powered urinal controllers.
Brass Construction. WRAS approved.
0 - 16 Bar

| Code | Description | Price RRP |
|---------|---------------------------|-----------|
| AQUHMSV | 230V Mains Solenoid Valve | €55.95 |

more spares & accessories

6V Lithium Battery



The lithium battery is suitable for use in Hydrocell & Aquamate urinal and Leaklock isolator controls. Generally the battery life will last between 2 and 3 years, at which point a replacement battery can be ordered from us to generate another few years of savings!

| Code | Description | Price RRP |
|--------|--------------------|-----------|
| AQUHCB | 6V Lithium Battery | €17.50 |

In Line Flow Regulator & Isolation Valve



Isolate and regulate the flow to any water fitting.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQRIVB6 | 6L/min In Line Flow Regulator & Isolation valve | €6.95 |
| AQRIVB10 | 10L/min In Line Flow Regulator & Isolation valve | €6.95 |

In Line Flow Regulator & Isolation Valve (Cartridge)



Isolate and regulate the flow to any water fitting. Easy isolation and maintenance of the regulator with this cartridge system.

| Code | Description | Price RRP |
|----------|--|-----------|
| AQRIVC6 | 6L/min In Line Flow Regulator & Isolation Valve (Cartridge) | €16.75 |
| AQRIVC10 | 10L/min In Line Flow Regulator & Isolation Valve (Cartridge) | €16.75 |

Power Gem water conditioner



- Works to descale existing systems, • Reduces new scale formation, • No plumbing required!
- Simple DIY fitting, • No chemicals, • Competitively priced, • No maintenance
- Very low running costs - less than £3 a year, • 3 year guarantee,
- Suitable for copper and plastic pipes.

| Code | Description | Price RRP |
|----------|-----------------------------|-----------|
| AQSAPG01 | Power Gem water conditioner | €112.30 |

Thermostatic regulator - external adjustment



This mixing valve delivers safe, blended hot water to taps, showers and other water outlets, making it ideal for use in hospitals, care establishments, schools and leisure centres. Has been independently tested and approved by the TMV3 scheme as a type 3 valve under the requirements of the National Health Service - Model Engineering Specification - DO8. The element that controls the temperature of the mixed water discharging from the valve works proportionally on both hot and cold water supplies in order to maintain the temperature of the mixed water discharged.

| Code | Description | Price RRP |
|---------|---------------------------|-----------|
| AQTTMV1 | Thermostatic Mixing Valve | €86.00 |

leakage prevention

Leaklock



The simplest way to safeguard your home or business against burst pipes. Designed with ease of use in mind, leaklock will become as familiar as locking your front door or turning your lights off at night... Comes complete with: Control Fascia, Mounting Box, 2 x Lithium Battery, 6V Latching Solenoid Valve.

| Code | Description | Price RRP |
|------|-------------|-----------|
| AQLL | Leaklock | €125.45 |

Basic School Saver Kit - Brown Green Water Box




Beat Rising Water Costs...

Reduce water waste in your school or business by installing these products. This kit contains;
 1 * AQUHC - Hydrocell, 2 * Deodorising Bio Blocks, 2 * AQR54442 - 5L/min Tap Aerators
 4 * AQWCD - Cistern Dam, 4 * AQTPT - Retro-fit Push Taps.

| Code | Description | Price RRP |
|--------|--------------------|-----------|
| AQMSSK | School Starter Kit | €250.00 |

Basic Home Saver Kit - Brown Green Water Box



Beat Rising Water Costs...

Reduce water waste in your home by installing these products. This kit contains;
 1 * AQS1101C - 8L/min Aerating Shower Head, 1 * AQR54242 & AQR54442- 5L/min Tap Aerators,
 1 * AQR54246 & AQR54446- 8L/min Tap Aerators, 1 * AQWCD - Cistern Dam

| Code | Description | Price RRP |
|--------|----------------------|-----------|
| AQMHSK | Basic Home Saver Kit | €39.02 |

Leak Detection Services

As well as offering a complete water efficiency package, Lowflo also have a specialist Leak Detection Division:

Lowflo - Water Control & Leak Detection



Lowflo offers a new and vital service in the area of water control and leak detection aimed at all water consumers around the country. With our experience and advanced electronic technology we are the countries leading water control and leak detection specialists. we work to pin point accuracy with non-invasive methods in finding all types of leakages, including hidden pipes and hence avoiding unnecessary property damage.

We can monitor your water usage in order to minimise wastage and hence reduce your water bill. So whether your requirements are purely domestic or on a larger scale, Lowflo offers one of the most comprehensive water control and management services in the country.

Call Lowflo on 021 5004111 or 01 218 0111 to speak in further detail to an experienced consultant.

Experienced leakage surveyors, utilising the latest detection methodologies, will detect water leakage on all material types and sizes of underground water pipes.

Various detection techniques are available; Correlation, Sounding, Step Testing, etc. along with the Hydrogen Gas Detection method. It is particularly useful for networks where traditional acoustic techniques cannot normally be used, because of a lack of fittings, or where traditional detection methods have failed to produce results.

We also offer; data logging, water audits, location & mapping of underground services.

Go to www.Lowflo.com
 or call 021 5004111 01 2180111 for more information.



CIWEM
 The Chartered Institution of Water
 and Environmental Management

Product Brochure & Prices 2008-09

11 York Road,
Rindsend,
Dublin 4

Unit P1,
Marina Ciommercial Park,
Centre Park Road,
Cork City.

www.lowflo.com
Cork: 021 5004111
Dublin: 01 2180111